


INDEX MAPS. **T. 16N, R. 4E. 2nd Mer.**

| | | | | | | | | | | | | |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|
| 187 | 6 | 288 | 5 | 202 | 4 | 198 | 3 | 194 | 2 | 190 | 1 | 184 |
| | 287 | | 287 | | 202 | | 198 | | 194 | | 190 | |
| 186 | 7 | 207 | 8 | 201 | 9 | 197 | 10 | 194 | 11 | 190 | 12 | 184 |
| | 206 | | 206 | | 201 | | 197 | | 193 | | 189 | |
| 186 | 18 | 206 | 17 | 201 | 16 | 197 | 15 | 193 | 14 | 189 | 13 | 184 |
| | 205 | | 205 | | 200 | | 196 | | 193 | | 189 | |
| 185 | 19 | 205 | 20 | 200 | 21 | 196 | 22 | 192 | 23 | 189 | 24 | 183 |
| | 204 | | 204 | | 200 | | 196 | | 192 | | 188 | |
| 185 | 30 | 204 | 29 | 199 | 28 | 195 | 27 | 191 | 26 | 188 | 25 | 183 |
| | 203 | | 203 | | 199 | | 195 | | 191 | | 188 | |
| 185 | 31 | 202 | 32 | 199 | 33 | 195 | 34 | 191 | 35 | 187 | 36 | 183 |
| | 182 | | 182 | | 182 | | 181 | | 181 | | 181 | |

T. 1N, R. 5E. 2nd Mer.

| | | | | | | | | | | | | |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|
| | 215-217 | | 215-217 | | 215-216 | | 215-216 | | 215-216 | | 216 | |
| 218 | 6 | 241 | 5 | 235 | 4 | 231 | 3 | 226 | 2 | 222 | 1 | 214 |
| | 241 | | 241 | | 235 | | 230 | | 226 | | 222 | |
| 218 | 7 | 240 | 8 | 235 | 9 | 230 | 10 | 226 | 11 | 222 | 12 | 214 |
| | 240 | | 239 | | 234 | | 229 | | 225 | | 221 | |
| 218 | 18 | 239 | 17 | 234 | 16 | 229 | 15 | 225 | 14 | 221 | 13 | 213 |
| | 239 | | 238 | | 233 | | 229 | | 224 | | 221 | |
| 218 | 19 | 238 | 20 | 233 | 21 | 228 | 22 | 224 | 23 | 220 | 24 | 213 |
| | 238 | | 237 | | 232 | | 228 | | 224 | | 220 | |
| 217 | 30 | 237 | 29 | 232 | 28 | 228 | 27 | 223 | 26 | 219 | 25 | 213 |
| | 236 | | 236 | | 232 | | 227 | | 223 | | 219 | |
| 217 | 31 | 236 | 32 | 231 | 33 | 227 | 34 | 223 | 35 | 219 | 36 | 212 |
| | 211 | | 211 | | 211 | | 211 | | 212 | | 212 | |

 The figures on the lines refer to the page.

Township N. 16 North, Range N. 4 East T. Mer. Indiana

South Boundary var. 6° 15' E.

Nest On S. boundary of Sec. 36, T16 N. R4 E.

17.16 a Beech 24 in. dia.

40.00 Set the q. Sec. post. from which
a Sugar 6 in. dia. bray S 52 E 12 lks. dist. of
a Beech 12 " " " S 63 N 13 " "

42.42 a Beech 12 " "

80.00 Set a post Cor. to Sec. 35 & 36, from which
a Beech 18 in. dia. bray N 52 E 9 lks. dist. of
a Do 12 " " " S 69 N 13 " "

Level D^d, rate land, Beech, Sugar, W. Oak, hickory
&c. undergrowth, Spice &c.

Nest On S. boundary of Sec. 35, T16 N. R4 E.

25.28 a Sugar 24 in. dia.

40.00 Set the q. Sec. post from which
a Beech 7 in. dia. bray S 78 E 14 lks. dist. of
a Sugar 18 " " " S 82 N 23 " "

42.00 a Creek 30 lks. wide Course S. W.

75.64 a Hickory 21 in. dia.

80.00 Set a post Cor. to Sec. 34 & 35, from which
a Beech 36 in. dia. bray N 10 E 18 lks. dist. of
a Do 14 " " " S 30 E 15 " "
Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 34, T16 N. R4 E.

32.54 a Beech 24 in. dia.

40.00 Set the q. Sec. post. from which
a Sugar 10 in. dia. bray N 34 E 5 lks. dist. of
a Poplar 7 " " " S 13 E 14 " "

40.50 a Branch 20 lks. wide Course S. W.

46.47 a W. Oak 36 in. dia.

80.00 Set a post Cor. to Sec. 33 & 34, from which
a Beech 18 in. dia. bray S 59 E 3 lks. dist. of
a Hickory 20 " " " N 44 N 49 " "
Land timber &c. same as on the last mile

N. N. R. 4 E. 2. Mer. Indiana

West On S. boundary of Sec. 33, N. N. R. 4 E.

20.80 a W. Oak 48 in. dia.

40.00 Set the q. Sec. post from which

a Beech 20 in. dia. bray S 54 E 19 lks. dist. of

a Do 10 " " " N 35 W 25 " "

49.70 a W. Ash 24 " "

60.00 an Indian road N & S.

72.00 a Branch 12 lks. wide Course South

80.00 Set a post Cor. to Sec. 32 & 33, from which

a Beech 15 in. dia. bray N 30 E 24 lks. dist. of

a Do 10 " " " S 50 W 18 " "

Good farming land, Beech, Sugar, Ash, Elm,
W. Oak, Hickory &c. underg. Spruce & pawpaw

West On S. boundary of Sec. 32, N. N. R. 4 E.

31.46 a W. Oak 48 in. dia.

40.00 Set the q. Sec. post, from which

a Beech 18 in. dia. bray S 10 E 31 lks. dist. of

a Sugar 20 " " " N 71 E 16 " "

80.00 Set a post Cor. to Sec. 31 & 32, from which

a Sugar 12 in. dia. bray N 20 W 18 lks. dist. of

a Beech 9 " " " S 45 W 24 " "

Land, timber &c. same as on the last mile

West On S. boundary of Sec. 31, N. N. R. 4 E.

27.42 a Beech 15 in. dia.

40.00 Set the q. Sec. post, from which

a Beech 6 in. dia. bray N 77 E 22 lks. dist. of

a Hickory 24 " " " S 71 W 24 " "

53.33 a Cottonwood 48 in. dia.

53.50 a Creek 50 lks. wide Course South

80.00 Intersected the N & S. line at a post Cor. to

townships N. 15 & 16, N. Range N. 3 & 4 East

Good farming land, Beech, Sugar, Elm, Walnut, Oak,
Hickory, Hackberry, Buckeye &c. Some good bottom on
Creek, Spruce & pawpaw. August 5th 1879

T16 N. R4 E. 2nd Mer. Indiana

East Boundary var. 6° 15' E.
 North On E. boundary of Sec. 36, T16 N. R4 East
 33.10 a Sugar tree 16 in. dia.
 40.00 Let the q. Sec. post, from which
 a White Ash 15 in. dia. bear S 31 E 13 lks. dist. of
 a Do 13 " " " N 55 W 34 " "
 67.23 a Beech 36 " "
 80.00 Let a post Cor. to Sec. 25 & 36, from which
 a Beech 20 in. dia. bear S 83 W 22 lks. dist. of
 a Do 24 " " " S 25 E 20 " "
 Level 2nd rate land Beech, Sugar, Elm, W. Oak
 Hickory &c. undgth Spice, Ash &c.

North On E. boundary of Sec. 25, T16 N. R4 E.
 23.82 a Sugar 30 in. dia.
 40.00 Let the q. Sec. post, from which
 an Elm 36 in. dia. bear S 45 E 8 lks. dist. of
 a Beech 12 " " " N 57 E 8 " "
 62.50 a Branch 15 lks. wide Course West
 80.00 Let a post Cor. to Sec. 24 & 25, from which
 a Beech 8 in. dia. bear S 45 W 4 lks. dist. of
 a Hickory 7 " " " N 50 E 14 " "
 Good farming land, Beech, Sugar, Elm, Lym, W. Oak
 W. Oak, Hickory &c. thick undgth of same

North On E. boundary of Sec. 24, T16 N. R4 E.
 14.48 a Beech 18 in. dia.
 40.00 Let the q. Sec. post, from which
 a W. Ash 21 in. dia. bear N 45 E 35 lks. dist. of
 a Beech 18 " " " S 48 W 24 " "
 70.04 a Beech 18 " "
 80.00 Let a post Cor. to Sec. 13 & 24 from which
 a Beech 9 in. dia. bear S 78 W 21 lks. dist. of
 an Elm 18 " " " N 51 E 33 " "
 Good farming land, Beech, Sugar, W. Oak, Lym,
 W. Oak, Hickory, undgth Spice & Pawpaw.

T6 N. R4 E. 2^d Mer. Indiana

North On E. boundary of Sec. 13, T6 N. R4 E.
30.99 a Beech 20 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 20 in. dia. bears West 11 lks. dist. &
a Do 24 " " " East 12 " "

49.79 an Ash 22 " "

80.00 Set a post Cor. to Sec. 12 & 13, from which
an Ash 16 in. dia. bears N 74° 12 lks. dist. &
a Do 20 " " " N 30 E 11 " "
Good farming land, timber same as last mile

North On E. boundary of Sec. 12, T6 N. R4 E.

10.90 a W. Ash 18 in. dia.

40.00 Set the q. Sec. post, from which
a Lym 16 in. dia. bears N 40 E 16 lks. dist. &
a W. Ash 14 " " " N 71° 15 " "

51.38 a Beech 24 " "

65.00 a Branch 15 lks. wide Course N.W.

77.00 Same 20 lks. " " N.E.

80.00 Set a post Cor. to Sec. 11 & 12, from which
a Beech 10 in. dia. bears N 15 E 12 lks. dist. &
a Do 16 " " " N 15° 22 " "
Good farming land, Beech, Sugar, Ash, Elm, Lym etc.

North On E. boundary of Sec. 1, T6 N. R4 E.

3.00 a Creek 25 lks. wide Course N.W.

32.69 a Beech 24 in. dia.

35.00 a Creek 40 lks. wide Course N.E.

40.00 Set the q. Sec. post, from which
a Beech 18 in. dia. bears N 73 E 22 lks. dist. &
an Ironwood 6 " " " N 82° 3 " "

77.90 Intersected the line of Correction 23.50 East
of a post Cor. to Sec. 35 & 36, T7 N. R4 E. - Set a
post at Intersection Cor. to Town 16 N. Range 4 &
5 East 2^d Mer. from which
a Beech 30 in. dia. bears N 16 E 19 lks. dist. &

T16N R4E. T. Mer. Indiana

a Beech 16 in. dia. bray S 87 E 12 lks. dist. of
 Ashly 2nd rate land, Beech, Sugar, ash, Poplar,
 Elm, Sycam, Hickory &c. thick underg^o of the
 same kind of timber. Tuesday August 13. 1819

Note. The North Boundary of this Trs being a
 Correction line, and of Course will not answer
 to be Copied as the N. boundary of Township
 N. 16 N. Range N. 4 E. T. Mer. (S. M.)

West Boundary var. 6. 15. E.

North On E. boundary of Sec. 36, T16N R3E.
 23.68 a Buckeye 18 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Hackberry 9 in. dia. bray S 107 W 9 lks. dist. of
 a Hickory 14 " " " N 10 E 23 " "
 41.68 a W. Ash 36 " "
 80.00 Let a post Cor. to Sec. 25 & 36, T16N R3E, from which
 an Elm 18 in. dia. bray S 50 E 16 lks. dist. of
 a Buckeye 14 " " " N 54 W 11 " "
 2nd rate Bottom, Elm, Walnut, Sugar, Buckeye,
 Hackberry &c. underg^o Spruce & pawpaw

North On E. boundary of Sec. 25, T16N R3E.
 7.72 a Hackberry 36 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 30 in. dia. bray S 28 W 17 lks. dist. of
 a Hackberry 7 " " " N 54 E 20 " "
 53.42 a Beech 33 " "
 80.00 Let a post Cor. to Sec. 24 & 25, T16N R3E, from which
 a Sycamore 75 in. dia. bray N 51 W 23 lks. dist. of
 a Beech 12 " " " N 74 E 20 " "
 2nd rate Bottom, Sugar, Walnut, Hackberry, honey
 Locust, Elm &c. underg^o Spruce, pawpaw & Buckeye

North On E. boundary of Sec. 24, T16N R4E.

T16 N R4 E 2^d Mer. Indiana

- 14.98 a W. Oak 30 in. dia.
 27.50 a Creek 150 lks. wide Course S. W.
 40.00 Let the q. Sec. post, from which
 an Ash 12 in. dia. bear S 11 W 11 lks. dist. &
 a Buckeye 10 " " " N 29 E 19 " "
 52.21 a Blue Ash 33 in. dia.
 80.00 Let a post Cor. to Sec. 13 & 24, T16 N. R3 E, from which
 a Buckeye 15 in. dia. bear N 15 W 11 lks. dist. &
 a Sugar 15 " " " N 67 E 46 " "
 1st rate land timber Sugar, Hackberry, Buckeye, Elm,
 Walnut &c. undergth Spice, pawpaw & grape vines &c.

- North On E. boundary of Sec. 13, T16 N. R3 E.
 40.00 Let the q. Sec. post, from which
 a Sugar 14 in. dia. bear N 10 W 11 lks. dist. &
 a Do 18 " " " N 43 E 40 " "
 62.65 an Elm 16 " "
 80.00 Let a post Cor. to Sec. 12 & 13, T16 N. R3 E, from which
 an Elm 18 in. dia. bear N 18 W 9 lks. dist. &
 a Beech 10 " " " S 24 E 38 " "
 1st rate land timber (Mostly Sugar, some Elm, Blue
 Ash, Buckeye &c. undergth Spice, pawpaw & grape vines)

- North On E. boundary of Sec. 12, T16 N. R3 E
 12.39 an Elm 60 in. dia.
 40.00 Let the q. Sec. post, from which
 a Sugar 33 in. dia. bear West 25 lks. dist. &
 a Do 18 " " " S 38 E 4 " "
 59.69 a W. Oak 30 " "
 76.10 to a pond impassable Let a post (on line between
 Sec. 7 & 12) from which
 a Maple 18 in. dia. bear S 14 W 16 lks. dist. &
 an Elm 15 " " " N 63 E 23 " "
 80.00 Let a post 300 lks. E. of the true Cor. (off Sec. 1 & 12
 T16 N. R3 E) from which
 an Elm 36 in. dia. bear South 4 lks. dist. &

Sec. 1, T16N, R4E, S1. Mer. Indiana

a Maple 10 in. dia. bear N 29 E 11 lks. distant
 This mile good farming land, timber Sugar, Elm,
 Hackberry, Walnut, Buckeye, Beech, Blue Ash &c
 undergth pawpaw, Spice, Buckeye, grape vines &c.

North On E. boundary of Sec. 1, T16N, R4E.

15.56 a Hickory 18 in. dia.

40.00 Set the q. Sec. post, from which
 a Beech 27 in. dia. bear S 23 E 3 lks. dist. &
 a Do 30 " " " N 57 W 19 " "

62.85 a Beech 33 " "

78.05 Intersected the line of Connection N. 50 East of
 a post Cor. to Sec. 35 & 36, T17N, R4E, and set a
 post Cor. to Town 16 N. Range 3 & 4 E, from which
 a Buckeye 8 in. dia. bear S 30 W 5 lks. dist. &
 a Hackberry 30 " " " N 82 E 11 " "

This post is set at the intersection with the Connection
 line. Land timber &c. same as on the last mile

August 10th 1819

Surveyed by John M. Donald, Dep^y Sur.

Subdivision

North Between Sec. 35 & 36, T16N, R4E.

22.65 a Beech 12 in. dia.

35.10 a Stream 10 lks. wide Course West

40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bear S 11 W 14 lks. dist. &
 a Do 14 " " " N 41 W 28 " "

42.30 a Sugar 14 " "

66.50 a Stream 12 lks. wide Course S. W.

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Beech 36 in. dia. bear N 41 E 34 lks. dist. &
 a Do 15 " " " S 63 W 39 " "

Land level good 2^d rate, timber Beech, ash,
 Sugar, W. Oak &c. undergth Spice, Ash &c

T6 N. R4 E. 2^d. Mer. Indiana

East On Land^m between Sec. 25 & 36, T6 N. R4 E.
10.74 a stream 12 links wide South

40.00 Set temp^y. of Sec. post

80.01 Intersected the E. boundary 64 lks. north of the
post. Land timber &c. same as on the last mile

West Corrected between Sec. 25 & 36, T6 N. R4 E.
40.00 Set of Sec. post at average dist. from which
a Beech 18 in. diam. bears N 83 E 24 lks. dist. of
a Do 16 " " " S 86 W 20 " "
80.01 to Sec. Corner.

North Between Sec. 25 & 26, T6 N. R4 E.

29.00 a Beech 15 in. diam. bears

40.00 Set the of Sec. post, from which
an Ash 24 in. diam. bears N 4 E 28 lks. dist. of
a P. Oak 15 " " " N 42 W 13 " "

65.15 a Poplar 13 in. diam.

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 14 in. diam. bears N 4 E 29 lks. dist. of
a P. Oak 15 " " " N 21 W 20 " "
Land level good 2^d. rate, Beech, Ash, Poplar,
Sugar &c. underg^m. Spruce

East On Land^m between Sec. 24 & 25, T6 N. R4 E.

36.50 a stream 10 lks. wide Course N. E.

40.00 Set temp^y. of Sec. post, from which

79.75 Intersected the E. boundary 20 lks. N. of post
Land level rich, timber of a small growth

West Corrected between Sec. 24 & 25, T6 N. R4 E.

39.87 Set of Sec. post, from which

a W. Oak 10 in. diam. bears N 9 E 4 lks. dist. of

a Poplar 12 " " " S 21 E 29 " "

79.75 to Sec. Corner

T16N. R4E. T². Mer. Indiana

North Between Secs. 23 & 24, T16N. R4E.

3.70 an Ash 20 in. dia.

40.00 Set the q. Sec. post from which a
Beech 24 in. dia. bray 147 E 29 lbs. dist. &
a Poplar 36 " " " N 43 W 24 " "

44.35 a Beech 18 " "

80.00 Set a post Corner to Secs. 13, 14, 23 & 24, from which
a Beech 22 in. dia. bray 149 N 24 lbs. dist. &
a W. Oak 10 " " " N 53 E 9 " "
Land rolling T². rate, Beech, Ash, Sugar &c.

East On Land². between Secs. 13 & 24, T16N. R4E.

40.00 Set temp. q. Sec. post

79.70 Intersected the E. boundary 162 lbs. N. of post
Land level T². rate

West Corrected between Secs. 13 & 24, T16N. R4E.

39.85 Set q. Sec. post, from which (average dist.)
a Beech 12 in. dia. bray 183 N 12 lbs. dist. &
a W. Oak 22 " " " N 62 E 13 " "

79.70 to Sec. Corner

North Between Secs. 13 & 14, T16N. R4E

8.64 a Hickory 24 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 15 in. dia. bray 141 N 24 lbs. dist. &
a Sugar 22 " " " N 35 E 18 " "

66.25 a Hickory 30 " "

80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which
a Beech 30 in. dia. bray 173 E 16 lbs. dist. &
a Ho 16 " " " N 11 W 33 " "

Land level T². rate Beech, Ash, Hickory, Sugar,
underg⁴. Spruce, Ash &c.

East On Land². Secs. 12 & 13, T16N. R4E.

40.00 Set temp. q. Sec. post

T6 N. R4 E. 2^m Mer. Indiana

79.83 Intersected the E. boundary 104 lks. N. of post
Land timber &c. same as on the last mile

West Corrupted between Sec. 12 & 13, T6 N. R4 E.
39.91 $\frac{1}{2}$ Set of. Sec. post at average dist. from which
a Beech 20 in. diam. bear S 75 E 37 lks. dist. &
an Ash 22 " " " N 79 W 16 " "
79.83 to Sec. Corner.

North Between Sec. 12 & 11, T6 N. R4 E.
15.40 a Beech 24 in. diam.
40.00 Set the of. Sec. post, from which
an Ironwood 10 in. diam. bear N 10 E 18 lks. dist. &
a Do 6 " " " S 22 W 12 " "
53.15 a Beech 12 " "
64.40 a W. Oak 20 " "
80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 36 in. diam. bear N 9 W 24 lks. dist. &
a Do 36 " " " S 22 E 38 " "
Land rolling Soil thin, Beech, Ash &c.

East On Land 8^m. between Sec. 11 & 12, T6 N. R4 E.
40.00 Set temp. of. Sec. post
75.00 a Small Stream 4 lks. wide Course north
79.50 Intersected the E. boundary 150 lks. N. of post
Land thin, timber same as on the last mile

West Corrupted between Sec. 1 & 12, T6 N. R4 E.
39.75 Set the of. Sec. post at average dist. from which
a Beech 14 in. diam. bear N 82 W 47 lks. dist. &
a Do 10 " " " S 38 E 12 " "
79.50 to Sec. Corner.

North Between Sec. 1 & 2, T6 N. R4 E. 2^m Mer.
21.06 a Beech 14 in. diam.
27.25 a Do 20 " "

Mt. Pleasant, Ind. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Lym 24 in. dia. bran West 19 lks. dist. of
at Beech 8 " " " S 82 E 29 " "
- 54.25 to Fall Creek 100 lks. wide Course N.
- 57.40 a Lyncamore 36 in. dia.
- 75.63 Intersected the N. boundary (line of Correction) Set
a post Cor. to Sec. 1 & 2, from which
a Lync 24 in. dia. bran N 28 W 11 lks. dist. of
a Do 12 " " " S 28 E 14 " "
Sand broken bad 2^d. rate, Beech, Ash, Lync, poplar,
Bichory, underg. Spruce &c. Monday 9th Oct. 1820

- North Between Sec. 34 & 35, T16 N. R4 E.
- 25.80 at Beech 15 in. dia.
- 40.00 Set the q. Sec. post, from which
a Beech 11 in. dia. bran N 67 W 14 lks. dist. of
a Do 8 " " " S 61 E 29 " "
- 60.95 at Beech 22 " "
- 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 24 in. dia. bran S 54 W 28 lks. dist. of
an Ash 12 " " " N 45 E 37 " "
Sand level 2^d. rate Beech, Ash, &c. underg. Spruce &c.

- East On Rand^m. between Sec. 26 & 35, T16 N. R4 E.
- 40.00 Set temp. q. Sec. post
- 61.25 a stream 5 lks. wide Course South
- 79.50 Intersected the N & S. line 48 lks. N. of the post
Sand 2^d. rate timber same as last mile

- West Corrected between Sec. 26 & 35, T16 N. R4 E.
- 39.75 Set q. Sec. post at average dist. from which
an Ash 10 in. dia. bran S 72 E 19 lks. dist. of
a W. Oak 8 " " " S 86 W 11 " "
- 79.50 to Sec. Corner.

- North Between Sec. 26 & 27, T16 N. R4 E.

T16 N. R4 E. 2^d Mer. Indiana

- 9.85 a W. Oak 48 in. dia.
 25.00 a Beech 16 " "
 40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bears S59W 20 lks. dist. of
 a Do 12 " " " N60E 20 " "
 66.23 a Beech 12 " "
 80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which
 an Elm 22 in. dia. bears N20E 12 lks. dist. of
 an Ash 8 " " " S29W 13 " "
 Land level good 2^d rate, timber, Beech, Ash, Sugar,
 Elm &c.

East On Rand^m. between Secs. 23 & 26, T16 N. R4 E.

- 40.00 Set temp. q. Sec. post—
 80.14 Intersected the N. & S. line 43 lks. N. of post
 Land level good 2^d rate

West Corrected between Secs. 23 & 26, T16 N. R4 E.

- 40.07 Set q. Sec. post at average dist. from which
 a W. Oak 9 in. dia. bears S21E 11 lks. dist. of
 a W. Oak 6 " " " N5W 12 " "
 80.14 To Section Corner. Oct. 10th 1820.

North Between Secs. 22 & 23, T16 N. R4 E.

- 2.70 an Elm 30 in. dia.
 22.40 a Beech 15 " "
 40.00 Set the q. Sec. post, from which
 a Beech 26 in. dia. bears S22W 30 lks. dist. of
 a Do 12 " " " N16E 7 " "
 43.25 a Poplar 36 " "
 52.90 a Stream 8 lks. wide Course West—
 60.25 a Beech 22 in. dia.
 80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which
 an Ash 30 in. dia. bears S75W 8 lks. dist. of
 an Elm 40 " " " N52E 37 " "
 Land 2^d rate & level Beech Ash undg^d. Spruce Poplar.

T16N R4E 2^d. Mer. Indiana

East On Random between Sec. 14 & 23, T16N R4E.
 40.00 Set temp^y. q^r. Sec. post
 79.47 Intersected the N. & S. line 1.02 ch. N. of post
 Land level poor 2^d. rate timber as before

West Corrected between Sec. 14 & 23, T16N R4E.
 39.73 Set q^r. Sec. post at average dist. from which
 a Hickory 24 in. dia. bears N 74 W 16 ch. dist. &
 a Do 11 " " " N 35 E 4 " "
 79.47 To Section Corner -

North Between Sec. 14 & 15, T16N R4E.
 0.50 a Stream 5 ch. wide Course W.
 23.30 a W. Oak 40 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Beech 10 in. dia. bears N 68 W 15 ch. dist. &
 a Do 6 " " " S 65 E 14 " "
 46.50 an Ash 18 " "
 70.06 a Sugar 15 " "
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Sugar 14 in. dia. bears N 14 E 33 ch. dist. &
 an Elm 12 " " " S 21 W 33 " "
 Land level 2^d. rate Beech Ash Sugar Elm
 underwood Spice &c.

East On Rand^m. between Sec. 11 & 14, T16N R4E
 24.75 a Stream 10 ch. wide Course North
 40.00 Set temp^y. q^r. Sec. post
 79.48 Intersected the N. & S. line 88 ch. N. of the post
 Land level good 2^d. rate, timber Beech, Sugar &c.

West Corrected between Sec. 11 & 14, T16N R4E.
 39.74 Set q^r. Sec. post at average dist. from which
 an Ash 20 in. dia. bears S 9 E 21 ch. dist. &
 a Beech 15 " " " N 53 W 11 " "
 79.48 to Sec. Corner.

T6N - R4E. T. Mer. Indiana

North Between Sec. 10 & 11, T6N - R4E.

11.40 an Ash 24 in. dia.

34.25 a Stream 12 lks. wide Course West

40.00 Set the q. Sec. post, from which
a Beech 7 in. dia. bears N 19 E 25 lks. dist. &
a Dogwood 15 " " " N 16 E 12 " "

42.75 a Stream 10 lks. wide Course Course S. W.

44.50 a Beech 20 in. dia.

55.00 a Do 28 " "

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 24 in. dia. bears S 25 E 40 lks. dist. &
a Do 15 " " " N 10 W 44 " "
Land rolling & croato Beech, Ash &c.East On Land^m between Sec. 2 & 11, T6N - R4E.

40.00 Set temp. q. Sec. post

79.80 Intersected the N & S. line 97 lks. N. of the post
Land timber &c. Same as on the last mile

West Corrected between Sec. 2 & 11, T6N - R4E.

39.90 Set q. Sec. post at average distance from which
a W. Oak 40 in. dia. bears S 82 W 11 lks. dist. &
a Beech 7 " " " S 71 E 13 " "

79.80 to Sec. Corner.

North Between Sec. 2 & 3, T6N - R4E. T. Mer.

2.70 a Beech 12 in dia.

40.00 Set the q. Sec. post from which
a Beech 8 in. dia. bears N 45 W 37 lks. dist. &
a Do 6 " " " S 79 E 6 " "

41.70 a Hickory 13 " " "

50.50 a fall creek 1.50 lks. wide Course N. W.

53.24 an Elm 12 in dia

75.44 Intersected line of Correction where
Set a post Cor. to Sec. 2 & 3, from which
A Beech 16 in. dia. bears N 77 E 11 lks. dist. &

T16 N R4 E 2^d Mer. Indiana

a Sugar 12 in dia^r. bears S 71 W 25 lks. dist.
 Land broken first 1/2 mile 2^d. rate last 1/2 rich
 Beech, Ash, Sugar, Hackberry underg^d. Spice popaw.
 Oct 11th 1820—

North Between Secs. 33 & 34, T16 N R4 E.
 17.44 a Beech 16 in dia^r. b
 40.00 Set the q^r. Sec. post, from which
 a Beech 18 in. dia^r. bears N 47 E 32 lks. dist. &
 a Do 14 " " " S 42 W 16 " "
 60.68 a Hickory 22 " "
 73.62 a stream 8 lks. wide Course West
 80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
 a Beech 20 in. dia^r. bears S 68 E 30 lks. dist. &
 a Do 10 " " " N 62 W 16 " "
 Land level 2^d. rate Beech Ash Hickory underg^d. Spice

East On Random between Secs. 27 & 34, T16 N R4 E.
 22.80 a stream 6 lks. wide Course South
 40.00 Set temp^y. q^r. Sec. post
 79.23 Intersected the N. & S. 62 lks. N. of post
 Land and timber as before

West Corrected between Secs. 27 & 34, T16 N R4 E.
 39.61 Set q^r. Sec. post at average dist. from which
 a Beech 16 in. dia^r. bears S 84 E 32 lks. dist. &
 a Do 14 " " " S 71 W 17 " "
 79.23 To Section Corner

North Between Secs. 27 & 28, T16 N R4 E.
 14.10 a Beech 24 in. dia^r. ber
 40.00 Set the q^r. Sec. post, from which
 a Beech 20 in. dia^r. bears N 40 W 13 lks. dist. &
 a Do 18 " " " S 22 E 37 " "
 42.10 an Elm 20 " "
 54.75 a Sugar 16 " "

M. N. R 4 E. 2^d Mer. Indiana

58.00 a Stream 12 lks. wide Course S. W.
 60.80 a do 10 " " " S. E.
 62.00 a " 11 " " " S. W.
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Beech 20 in. diam. bears S 53 W 31 lks. dist. 4,
 a do 22 " " " N 43 E 16 " "
 Land level good 2^d rate Beech Ash Sugar, Spice &c.

East On Random between Sec. 22 & 27, T 16 N R 4 E.
 12.50 a Stream 15 lks. wide Course S. W.
 40.00 Set temp. y. of Sec. post
 79.49 Intersected the N. & S. line 1.34 lks. N. of post
 Land level last 12 miles rich timber as before

West Corrected between Sec. 22 & 27, T 16 N R 4 E.
 39.74 Set g. Sec. post at average dist. from which
 a Sugar 22 in. diam. bears N 79 W 34 lks. dist. 8
 a Beech 13 " " " N 83 E 22 " "
 79.49 to Section Corner

North Between Sec. 21 & 22, T 16 N R 4 E.
 40.00 Set the g. Sec. post, from which
 an Ash 30 in. diam. bears N 86 E 7 lks. dist. 8
 a Beech 16 " " " S 64 W 33 " "
 41.95 a Sugar 24 " "
 52.25 an Ash 22 " "
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 14 in. diam. bears S 39 W 5 lks. dist. 8
 a Sugar 11 " " " N 29 E 22 " "
 Land level good 2^d rate

East On Random between Sec. 15 & 22, T 16 N R 4 E.
 40.00 Set temp. y. of Sec. post.
 76.73 a Stream 8 lks. wide Course S. W.
 79.73 Intersected the N. & S. line 1.11 lks. N. of post
 Land level 2^d rate -

S16 N-R4 E. 2nd Mer. Indiana

197

West Corrected between Secs. 15 & 22, S16 N-R4 E.
 39.86 Set g^l. Sec. post at average dist. from which
 a Beech 18 in. dia. bears S46 E 49 lks. dist. &
 a Do 15 " " " N56 W 7 " "
 79.73 To Section Corner

North Between Secs. 15 & 16, S16 N-R4 E.
 12.80 a Beech 18 in. dia.
 40.00 Set the g^l. Sec. post, from which
 a Sugar 17 in. dia. bears N67 W 13 lks. dist. &
 a Do 22 " " " S65 E 26 " "
 42.10 an Elm 22 " "
 49.75 a Stream 7 lks. wide Course W.
 54.50 a Beech 15 in. dia.
 72.30 a Stream 20 lks. wide Course W.
 80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which
 a Beech 28 in. dia. bears S61 E 34 lks. dist. &
 a Do 22 " " " N66 W 5 " "
 Land level 2 rate timber beech, Ash &c.

East On Prandom between Secs. 10 & 15, S16 N-R4 E.
 23.10 a Stream 20 lks. wide Course S. W.
 40.00 Set temp^y. g^l. Sec. post
 79.21 Intersected the N. & S. line 58 lks. N. of post
 first 1/2 mile broken last 1/2 level 2nd rate Beech
 Ash, Sugar &c.

West Corrected between Secs. 10 & 15, S16 N-R4 E.
 39.60 Set g^l. Sec. post at average dist. from which
 a Sugar 30 in. dia. bears N12 W 39 lks. dist. &
 a Beech 18 " " " S13 E 15 " "
 79.21 To Section Corner Oct. 12th 1820

North Between Secs. 9 & 10, S16 N-R4 E.
 16.65 a Beech 15 in. dia.
 40.00 Set the g^l. Sec. post, from which

T6 N. R4 E. 2nd Mer. Indiana

a Beech 30 in dia., bears N 55 W 32 lks. dist. of
 a Do 12 " " " S 37 E 37 " "
 63.64 to Fall Creek 140 lks. wide Course S. W.
 65.15 an Elm 24 in. dia.
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a Hickory 8 in. dia., bears S 67 W 18 lks. dist. of
 a W. Oak 30 " " " S 88 E 26 " "
 Land level except at the creek 2nd rate, timber
 as before. Fall Creek is beautiful clear water
 with pebbly bottom and bluff on one side
 but the opposite overflows

East On Land^m between Sec. 3 & 10, T6 N. R4 E.
 6.50 to Fall Creek 75 lks. wide Course S. W.
 40.00 Set temp. of. Sec. post
 79.64 Intersected the N & S. line 92 lks. S. of post
 Land much broken, being rich hills

West Corrected between Sec. 3 & 10, T6 N. R4 E.
 39.82 Set of. Sec. post at average dist. from which
 a Sugar tree 7 in. dia., bears S 21 E 31 lks. dist. of
 an Ironwood 6 " " " N 21 W 17 " "
 79.64 to Sec. Corner.

North Between Sec. 3 & 4, T6 N. R4 E.
 6.30 a W. Oak 48 in. dia.
 18.75 a Walnut 40 " "
 40.00 Set the of. Sec. post, from which
 a Hickory 6 in. dia., bears S 20 E 4 lks. dist. of
 a Hackberry 20 " " " N 27 W 42 " "
 53.00 an Ash 15 " "
 74.71 Intersected the line of Correction, Set a post
 Cor. to Sec. 3 & 4, from which
 a Hickory 32 in. dia., bears N 52 W 31 lks. dist. of
 a Do 18 " " " S 45 E 48 " "
 1st 1/2 mile level 1st rate - last 1/2 rolling 2nd rate

T16 N. R4 E 2nd Mer. Indiana

Beech, Ash, Sugar, Walnut, undugth, Sugar, Spice &c.

North Between Secs. 32 & 33, T16 N. R4 E.

13.78 a Beech 16 in. dia.

35.40 an Elm 36 " "

40.00 Let the g^t. Sec. post, from which
a Beech 16 in. dia. bear N20 E 41 lks. dist. of
a Do 14 " " " S53 W 2 " "

54.25 a Stream 20 lks. wide Course West

57.75 a W. Oak 36 in. dia.

80.00 Let a post Cor. to Secs. 28, 29, 32 & 33, from which
a Beech 18 in. dia. bear N85 W 33 lks. dist. of
a Do 11 " " " N80 E 34 " "
Land level 2nd rate, Beech, Ash, Hickory, W. Oak
undugth, Spice &c.

East On Landth between Secs. 28 & 33, T16 N. R4 E.

17.50 a Stream 15 lks. wide Course South

40.00 Let temp^y. g^t. Sec. post

80.02 Intersected the N & S. line 13 lks. N. of the post
Land timber &c. same as on the last mile

West Corrected between Secs. 28 & 33, T16 N. R4 E.

40.01 Let the g^t. Sec. post at average dist. from which
a Beech 30 in. dia. bear N75 W 19 lks. dist. of
a Do 28 " " " N70 E 41 " "

80.02 to Sec. Corner.

North Between Secs. 28 & 29, T16 N. R4 E.

2.50 an Ash 24 in. dia.

23.30 a Hickory 15 " "

40.00 Let the g^t. Sec. post, from which
a Ash 17 in. dia. bear N16 E 29 lks. dist. of
a Beech 12 " " " S15 W 32 " "

66.12 a Beech 20 " "

69.25 an Ash 24 " "

St. Louis, Mo., Indiana

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
an Elm 20 in. dia. bears S 66° 16' W 16 lks. dist. &
a Sugar 5 " " " N 29° E 17 " "
Land level good 2^d rate, Beech, Ash,
Sugar, Elm, Spruce &c.

East On Rand. between Sec. 21 & 28, T16 N. R4 E.

40.00 Set temp. q. Sec. post

79.76 Intersected the N. & S. line 12 lks. south of post
Land level good 2^d rate timber as before

West Corrected between Sec. 21 & 28, T16 N. R4 E.

39.88 Set q. Sec. ^{at average dist} post, from which
a Sugar 14 in dia. bears N 83° E 22 lks. dist. &
a Do 8 " " " N 51° W 12 " "

79.76 To Section Corner.

Oct. 13th 1828

North Between Sec. 20 & 21, T16 N. R4 E.

17.45 a Sugar 16 in. dia.

17.60 a stream 10 lks. wide Course N. W.

40.00 Set the q. Sec. post, from which
a Beech 20 in. dia. bears N 72° E 30 lks. dist. &
a Do 16 " " " S 65° W 26 " "

44.36 a Beech 20 " "

49.25 a stream 6 lks. wide Course W.

64.85 a Beech 12 in. dia.

80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 22 in. dia. bears East 10 lks. dist. &
a Do 14 " " " S 77° W 9 " "

Land level 2^d rate timber as before

East On Random between Sec. 16 & 21, T16 N. R4 E.

40.00 Set temp. q. Sec. post

44.80 a stream 8 lks. wide Course N. W.

79.59 Intersected the N. & S. line 69 lks. S. of post
Land level 2^d rate Beech Ash Sugar - Spruce &c.

201

Sec. 16 N. R. 4 E. T. Mer. Indiana

West Corrected between Sec. 16 & 21, S. 16 N. R. 4 E.
 39.78 Set q. Sec. post at average dist. from which
 a Beech 18 in. dia. bears N 20 E 29 lks. dist. 4
 a Do 16 " " " S 77 W 16 " "
 79.57 To Section Corner—

North Between Sec. 16 & 17, S. 16 N. R. 4 E.
 12.08 a Sugar 22 in. dia.
 18.25 a Stream 8 lks. wide Course N. W.
 40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bears S 49 E 29 lks. dist. 4
 a Do 15 " " " N 47 W 32 " "
 80.00 Set a post Corner To Sec. 8, 9, 16 & 17. from which
 an Ash 18 in. dia. bears N 53 W 36 lks. dist. 4
 a Beech 10 " " " S 48 E 15 " "
 first 1/2 mile level 2^d rate last 1/2 broken 2^d rate Beech
 Ash Sugar W. Oak undergth Spice &c.—

East On Random between Sec. 9 & 16, S. 16 N. R. 4 E.
 14.00 a Stream 15 lks. wide Course N. W.
 40.00 Set temp. q. Sec. post
 79.88 Intersected the N. & S. line 22 lks. South of post
 first 1/2 mile broken 3^d rate last 1/2 mile rolling
 2^d rate Beech ash W. Oak Hickory Spice &c.

West Corrected between Sec. 9 & 16, S. 16 N. R. 4 E.
 39.94 Set q. Sec. post at average dist. from which
 a Beech 16 in. dia. bears N 32 W 38 lks. dist. 4
 a Do 22 " " " S 43 E 52 " "
 79.88 To Section Corner

North Between Sec. 8 & 9, S. 16 N. R. 4 E.
 3.90 a Beech 20 in. dia.
 6.50 a Stream 20 lks. wide Course W
 23.85 a Hickory 24 in. dia.
 36.00 To fall Creek 1.65 lks. wide Course S. W.

N 16 E. 2nd Mer. Indiana

- 40.00 Set the g. Sec. post, from which
a Beech 22 in. dia. bears N 84 E 8 lks. dist. &
an Elm 6 " " " S 75 W 28 " "
- 60.68 an Elm 22 " "
- 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a W. Beech 7 in. dia. bears N 19 E 21 lks. dist. &
an Elm 20 " " " S 2 E 12 " "
Land level last 1/2 mile rich Beech Ash Elm
Walnut Hickory underg^d. Spice prickash &c.

- East On Random between Sec. 4 & 9, S 16 N 12 E.
- 40.00 Set temp^y. g. Sec. post
- 79.54 Intersected the N. & S. line 8 lks. N. of post
Land level & rich timber Beech Ash buckeye
Hackberry undergrowth Spice &c.

- West Corrected between Sec. 4 & 9, S 16 N 12 E.
- 39.77 Set g. Sec. post at average dist. from which
a Beech 5 in. dia. bears N 61 E 49 lks. dist. &
a Hick^y. 7 " " " S 53 W 7 " "
- 79.54 To Section Corner. Oct. 14th 1820-

- North Between Sec. 4 & 5, S 16 N 12 E
- 40.00 Set the g. Sec. post, from which
a Sugar 18 in. dia. bears S 64 E 23 lks. dist. &
a W. Beech 5 " " " N 61 W 18 " "
- 46.96 an Elm 8 " "
- 74.62 Intersected the line of Correction where
Set a post Cor. to Sec. 4 & 5, from which
a Beech 20 in. dia. bears N 43 W 34 lks. dist. &
a do 14 " " " S 31 E 13 " "
Land level 2nd rate Beech Ash Sugar und^d. Spice &c.

- North Between Sec. 31 & 32, S 16 N 12 E
- 28.75 a Stream 20 lks. wide Course W.
- 35.65 a Beech 18 in. dia.

S16 N R4 E, 2nd Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 22 in. dia. bears S 44 E 30 lks. dist. &
a Do 18 " " " N 42 W 30 " "
- 60.30 a Beech 18 " "
- 69.20 a Do 12 " "
- 80.00 Set a post Corner to Secs. 29, 30, 31 & 32, from which
a B. Oak 33 in. dia. bears N 26 W 17 lks. dist. &
a Beech 8 " " " S 57 E 13 " "
Land level 2^d rate Beech Ash &c.

- East On Pradom between Secs. 29 & 32, S16 N R4 E.
- 40.00 Set temp^y. q. Sec. post
- 79.39 Intersected the N. & S. line 94 lks. N. of post
Land level 2^d rate Beech &c.

- West Corrected between Secs. 29 & 32, S16 N R4 E.
- 39.14 Set q. Sec. post at average dist. from which
a Beech 30 in. dia. bears S 22 E 15 lks. dist. &
a Do 12 " " " N 34 E 12 " "
- 79.89 To Section Corner — Oct. 15th 1820-

- West Between Secs. 30 & 31, S16 N R4 E.
- 2.90 a Beech 8 in. dia.
- 23.95 a Do 12 " "
- 27.07 rather swampy Land
- 40.00 Set the q. Sec. post, from which
an Ash 10 in. dia. bears N 60 E 17 lks. dist. &
a Do 13 " " " S 41 W 16 " "
- 53.00 Land dry & rich
- 58.20 an Ash 24 in. dia.
- 78.18 Intersected the W. boundary 96 lks. N. of post
Set a post Cor. to Secs. 30 & 31, from which
a Beech 20 in. dia. bears S 27 W 41 lks. dist. &
a Hickory 12 " " " N 32 E 6 " "
- Land part 2^d rate part Swampy & part 1st rate
timber Beech Ash Elm Hackberry undergrowth

Spice, Hickory, Ash &c.

North Between Secs. 29 & 30, S16 N. R 4 E.
 23.50 a Stream 10 lks. wide Course West
 28.30 a Beech 15 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears N 17 W 25 lks. dist. &
 an Elm 24 " " " S 45 E 11 " "
 44.28 a Beech 15 " "
 68.53 a Hickory 22 " "
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which
 an Elm 11 in. dia. bears S 39 E 17 lks. dist. &
 a Beech 11 " " " N 64 W 25 " "
 Land level first 1/2 mile 2nd rate last 1/2 inclining
 to wet part Swampy 3rd rate Beech Ash Elm
 Hickory undergrowth Ash &c.

East On Random between Secs. 20 & 29, S16 N. R 4 E.
 40.00 Set temp. q. Sec. post
 80.13 Intersected the N. & S. line 90 lks. N. of post
 Land rolling 2nd rate timber as before

West Corrected between Secs. 20 & 29, S16 N. R 4 E.
 40.06 Set q. Sec. post at average dist. from which
 a Beech 26 in. dia. bears S 65 W 29 lks. dist. &
 a Do 14 " " " N 64 E 20 " "
 80.13 to Section Corner-

West Between Secs. 19, 30, S16 N. R 4 E.
 6.40 a W. Oak 24 in. dia.
 25.00 a Beech 30 " "
 40.00 Set the q. Sec. post, from which
 an Ash 24 in. dia. bears S 85 W 34 lks. dist. &
 a Do 28 " " " N 45 E 4 " "
 52.42 a Ironwood 8 "
 77.83 Intersected the W. boundary 1.14 lks. N. of post

S16 N R4 E. 2^d Mer. Indiana

205

Set a post Cor. to Sec. 19 & 20, from which
 a Beech 28 in. dia. bears N 6 E 13 lks. dist. &
 a Do 12 " " " S 8 E 32 " "

Land level and rich but inclining to wet with some
 swampy places Beech, Ash, Sugar, Walnut Hickory
 undergrowth Spice pricklyash &c.

North Between Sec. 19 & 20, S16 N R4 E.

8.00 at Beech 18 in. dia.

40.00 Set q^t Sec. post, from which, 19 & 20, from which
 a buckeye 12 in. dia. bears S 62 W 22 lks. dist. &
 an Ash 18 " " " N 20 E 37 " "

60.03 a Walnut 24 " "

75.95 a Hickory 14 " "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Sugar 11 in. dia. bears S 74 W 21 lks. dist. &
 a Do 22 " " " S 82 E 36 " "

Land level first .p. mile 2^d rate last .p. 1st rate
 Beech, Ash, Sugar, underwood Spice pappaw &c.

East On Pradome between Sec. 17 & 20, S16 N R4 E.

40.00 Set temp^y. q^t. Sec. post

79.79 Intersected the N. & S. line 75 lks. N. of post
 first .p. mile level 1st rate last rolling good 2^d rate
 timber Beech, Ash, Sugar, Walnut Hickory under Spice &c.

West Corrected between Sec. 17 & 20, S16 N R4 E.

39.89 Set q^t. Sec. post, at average dist, from which
 a Sugar 36 in. dia. bears S 78 E 9 lks. dist. &
 a Do 14 " " " N 67 W 4 " "

79.79 to Section Corner

West Between Sec. 18 & 19, S16 N R4 E.

37.00 to fall Creek 1.56 lks. wide Course S. W.

40.00 Set the q^t. Sec. post, from which
 a buckeye 7 in. dia. bears N 27 W 10 lks. dist. &

Sec. 16 N. R. 4 E. T. Mer. Indiana

a buckeye 12 in dia. bears S 52 E 10 lks. dist. &
 55.62 a Hackberry 22 " "
 68.45 a buckeye 14 " "
 78.25 Intersected the W. boundary 1.52 lks. N. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Sugar 16 in. dia. bears S 22 E 6 lks. dist. &
 a Do 15 " " " N 26 W 7 " "
 Land level & rich V. rate much Sugar -

North Between Sec. 17 & 18, S 16 N. R. 4 E.
 20.80 a buckeye 15 in. dia.
 40.00 Set the q. Sec. post, from which
 a Walnut 12 in. dia. bears N 66 E 32 lks. dist. &
 an Ash 11 " " " S 17 W 16 " "
 47.50 to fall Creek 200 lks. wide Course S. W.
 a butifull Stream indeed
 72.15 a Sugar 30 in. dia.
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 9 in. dia. bears N 52 W 17 lks. dist. &
 an Elm 20 " " " S 89 E 15 " "
 Land level V. rate Ash Sugar Walnut W. Oak
 Hickory underbrush Spice, Sugar &c.

East On Prandon between Sec. 8 & 17, S 16 N. R. 4 E.
 40.00 Set temp. q. Sec. post
 56.12 to fall Creek 1.70 lks. wide Course S. W.
 80.25 Intersected the N. & S. line 3.35 lks. N. of post
 Land level & rich timber as before

West Corrected between Sec. 8 & 17, S 16 N. R. 4 E.
 40.12 Set q. Sec. post at average dist. from which
 a Walnut 33 in. dia. bears S 75 W 15 lks. dist. &
 a Buckeye 12 " " " N 11 E 29 " "
 56.25 To Section Corner

West Between Sec. 7 & 18, S 16 N. R. 4 E.

Met R4E2 Mer. Indiana

207

1. 08 a Hackberry 26 in. dia.
 13. 27 a Buckeye 16 " "
 40. 00 Set the q. Sec. post, from which
 a Beech 23 in. dia. bears S 35 E 31 lks. dist. &
 a Do 20 " " " N 18 E 31 " "
 64. 45 an Elm 15 " "
 77. 58 Intersected the W. boundary 2.55 lks. N. of post
 Set a post Cor. to Sec. 7 & 18, from which
 an Elm 11 in. dia. bears S 42 W 30 lks. dist. &
 a Sugar 26 " " " N 57 E 31 " "
 Land level v. rate Sugar Walnut Ash - Spice &c.

- North Between Sec. 7 & 8, S 16 N. R 4 E
 27. 35 a Walnut 12 in. dia.
 40. 00 Set the q. Sec. post, from which
 a Maple 8 in. dia. bears N 48 W 59 lks. dist. &
 an Elm 12 " " " S 32 E 13 " "
 60. 00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Walnut 19 in. dia. bears N 74 E 17 lks. dist. &
 an Elm 8 " " " S 48 W 21 " "
 Land timber &c. as on the last Mile

- East On Brandon between Sec. 5 & 8, S 16 N. R 4 E
 40. 00 Set temp. q. Sec. post
 50. 07 a small prairie 1.50 lks. wide, extending a considerable
 dist. S. W. on which erected 4 stacks of hay
 61. 25 Intersected the N. & S. line 5 lks. N. of post
 Land rolling v. rate timber as before

- West Corrected between Sec. 5 & 8, S 16 N. R 4 E
 40. 12 Set q. Sec. post at average dist. from which
 a Beech 24 in. dia. bears S 28 E 15 lks. dist. &
 a Do 8 " " " N 20 E 26 " "
 50. 25 to Section Corner

- West Between Sec. 6 & 7, S 16 N. R 4 E

M. N. R. & C. 2^d Mer. Indiana

- 16.00 enter a small prairie
 29.00 timbered Land
 40.00 Set the q. Sec. post, from which
 a W. Oak 14 in. dia. bears S 70 E 30 ch. dist. 4
 a Beech 12 " " " N 76 W 45 " "
 41.50 a W. Oak 24 " "
 54.53 a Buckeye 8 " "
 77.50 Intersected the W. boundary 7.30 ch. N. of post
 and 2.30 ch. N. of subdivision line
 Set a post cor to Sec. 6 & 7, from which
 a Beech 16 in. dia. bears N 63 E 15 ch. dist. 4
 a do 12 " " " S 54 W 24 " "
 Land level good 2^d rate timber Beech Ash Sugar
 Walnut &c.

- North Between Sec. 5 & 6, 1816 N. R. & C.
 4.95 a Hackberry 12 in. dia.
 22.96 a do 8 " "
 40.00 Set the q. Sec. post, from which
 a Hickory 8 in. dia. bears S 62 E 15 ch. dist. 4
 a W. Oak 10 " " " N 53 W 31 " "
 74.41 a Sugar 22 " "
 69.94 a Cherry 22 " "
 74.30 Intersected the Line Correction where
 Set a post cor to Sec. 5 & 6, from which
 a Hickory 8 in. dia. bears N 35 W 24 ch. dist. 4
 an Elm 14 " " " S 35 E 37 " "
 Land level 1st rate Ash Sugar Walnut Underg.
 Spice Sugar &c. Tuesday Oct 17th 1820
 Surveyed by John Hendricks, L. S.

conf

I Certify that the foregoing transcript of field notes of Township N. 16 North, of Range N. 4 East T. 3 Mer. Indiana has been Comp^d with the original notes in this Office and found to be Correct.

Surveyor General's Office
Cincinnati, Sept. 15th 1845

E. P. Rains
Sur. Gen.